


# Product Data Sheet

## MaxiFlex® Cut™ 34-8443

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Green
<b>Design</b>	Palm coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	UHMWPE-Glass-Nylon, Spandex
<b>Patent number</b>	EP 1 608 808
<b>Palm thickness</b>	0.90 mm



### Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/-10 mm)	205	220	230	235	245	250	255
Wrist length (mm)	66	66	68	70	72	74	74
Wrist width (mm)	68	68	70	70	72	74	75
Palm width (+/-3 mm)	84	89	96	98	100	102	104
Over lock colour	Blue	Red	Orange	White	Yellow	Black	Grey

### EN test Results

Test	Notified Body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388: 2016 + A1: 2018	TÜV Rheinland	4331B

### ANSI test Results

Test	Notified Body	Result/Pass
ANSI/ISEA 105 (2016) (A1-A9)	ATG accredited laboratory	A2



# Product Data Sheet

## MaxiFlex® Cut™ 34-8443

### Typical Performance Values

EN ISO 21420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 5.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 5 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	40°
Sanitized®	Yes



### Special features

Silicone free	No
Touchscreen compatible	Yes



# Product Data Sheet

## MaxiFlex® Cut™ 34-8443

### Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

### Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / Pair (+/-6 gram)	34	38	42	44	46	48	50
Gross Weight (Kg)	3.6	3.9	4.2	4.35	4.5	4.6	4.6
Carton Weight (Kg)	1	1	1	1	1	1	1
Net Weight (Kg)	2.6	2.9	3.2	3.35	3.5	3.6	3.6

Issue date: 23.04.2019

