

WEATHERPROOF "WHILE-IN-USE" RECEPTACLE COVERS

BWF PRODUCT BENEFITS & FEATURES

- Choose from high-impact polycarbonate construction or heavy duty die cast covers for more severe applications, such as schools and commercial buildings
- Both meet NEC Article 410-57(b). The code requires receptacles be protected in outdoor or other wet locations with the cord set plugged in, unless the receptacle is attended.
- All covers are shipped with gasket, mounting screws, base and cover assembly, two inserts and complete "easy-to-install" instructions.
- Covers may be mounted to a box or device.
- When security is important, there are covers available with a lockable hasp.
- Flexibility in the field: covers combined with one of the 26 rotating, snap-in, inserts will meet any installation requirement.

COMPLIANCES

- UL Listed - CSA Certified
- NEMA 3R rated



APPLICATIONS

- Where weatherproof protection is required while an outlet is in use, such as; bug zappers, holiday lighting, low voltage lighting, soda machines, portable spas, engine block heater, irrigation pond pumps, etc.



MEETS 2002 NEC 406.8(B) (1) Receptacles installed outdoors in a wet location must have an enclosure that is weatherproof when you insert the attachment plug.



HIGH IMPACT CLEAR POLYCARBONATE "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1100C*	00100-9	1 gang vertical/horizontal	2 1/4"	Clear	5	3
	WT1100WC*	31175-7	1 gang horizontal/vertical	2 1/4"	Clear	5	3
	WT1150C	00101-6	1 gang vertical/horizontal	4 3/4"	Clear	5	4.25
	WT1220C*	00200-6	2 gang	2 1/4"	Clear	5	8
	WT202V*	00201-3	2 gang	3 1/8"	Clear	5	8

*With lockable hasp



HEAVY DUTY DIE CAST METAL "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1010HMC*	34018-4	1 gang horizontal	3 1/8"	Grey	4	5
	WT100VMV*	34017-7	1 gang vertical	3 1/8"	Grey	4	5
	WT1030MC*	34019-1	2 gang	3 1/8"	Grey	2	3.5

*With lockable hasp

ONE GANG WEATHERPROOF COVERS – DIE CAST METAL

Horizontal GFCI Kit Includes:

Rectangular 3-hole box, self closing GFCI cover, GFCI receptacle, hardware & instructions

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Clamshell Kit							
GFBK-C-1	41201-0	149	Horiz GFCI Kit	Grey	10	18	
GFBKAB-C-1	41202-7	149	Horiz GFCI Kit	Bronze	10	18	
GFBKW-C-1	41203-4	149	Horiz GFCI Kit	White	10	18	
GFBKB-C-1	41204-1	149	Horiz GFCI Kit	Black	10	18	
Display Box Kit							
GFBK	41200-3	130	Horiz GFCI Kit	Grey	10	17	
GFBKAB	41205-8	130	Horiz GFCI Kit	Bronze	10	17	
GFBKW	50220-9	130	Horiz GFCI Kit	White	10	17	
GFBKB	50221-6	130	Horiz GFCI Kit	Black	10	17	



GFBK-C


One Gang Cover for Vertical GFCI Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Show Pak							
FGV-1DCV	25012-4	N/A	Vertical GFCI	Grey	24	12	
FGV-1DCAV	25510-5	N/A	Vertical GFCI	Bronze	24	12	
FGV-1DCWV	25710-9	N/A	Vertical GFCI	White	24	12	
Blister Carded							
511V-1	05115-8	43	Vertical GFCI	Grey	6	3	
511VAB-1	25513-6	43	Vertical GFCI	Bronze	6	3	
511VW-1	50070-0	43	Vertical GFCI	White	6	3	



FGV-1DC



GFCI: Ground Fault Circuit Interrupter or “Shock Protection” outlet stops the flow of electricity at the outlet. Required by the National Electrical Code (NEC) for wet or damp locations, inside or out.

One Gang Vertical Cover for Duplex Receptacles, Switches or Combination Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Show Pak							
FC-61V	22095-0	N/A	Vertical	Grey	24	8	
FC-61AV	52884-1	N/A	Vertical	Bronze	24	8	
FC-61WV	52883-4	N/A	Vertical	White	24	8	



FC-61V

WEATHERPROOF "WHILE-IN-USE" RECEPTACLE COVERS

BWF PRODUCT BENEFITS & FEATURES

- Choose from high-impact polycarbonate construction or heavy duty die cast covers for more severe applications, such as schools and commercial buildings
- Both meet NEC Article 410-57(b). The code requires receptacles be protected in outdoor or other wet locations with the cord set plugged in, unless the receptacle is attended.
- All covers are shipped with gasket, mounting screws, base and cover assembly, two inserts and complete "easy-to-install" instructions.
- Covers may be mounted to a box or device.
- When security is important, there are covers available with a lockable hasp.
- Flexibility in the field: covers combined with one of the 26 rotating, snap-in, inserts will meet any installation requirement.

COMPLIANCES

- UL Listed - CSA Certified
- NEMA 3R rated



APPLICATIONS

- Where weatherproof protection is required while an outlet is in use, such as; bug zappers, holiday lighting, low voltage lighting, soda machines, portable spas, engine block heater, irrigation pond pumps, etc.



MEETS 2002 NEC 406.8(B) (1) Receptacles installed outdoors in a wet location must have an enclosure that is weatherproof when you insert the attachment plug.



HIGH IMPACT CLEAR POLYCARBONATE "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1100C*	00100-9	1 gang vertical/horizontal	2 1/4"	Clear	5	3
	WT1100WC*	31175-7	1 gang horizontal/vertical	2 1/4"	Clear	5	3
	WT1150C	00101-6	1 gang vertical/horizontal	4 3/4"	Clear	5	4.25
	WT1220C*	00200-6	2 gang	2 1/4"	Clear	5	8
	WT202V*	00201-3	2 gang	3 1/8"	Clear	5	8

*With lockable hasp



HEAVY DUTY DIE CAST METAL "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1010HMC*	34018-4	1 gang horizontal	3 1/8"	Grey	4	5
	WT100VMV*	34017-7	1 gang vertical	3 1/8"	Grey	4	5
	WT1030MC*	34019-1	2 gang	3 1/8"	Grey	2	3.5

*With lockable hasp

ONE GANG WEATHERPROOF COVERS – DIE CAST METAL

Horizontal GFCI Kit Includes:

Rectangular 3-hole box, self closing GFCI cover, GFCI receptacle, hardware & instructions

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Clamshell Kit							
GFBK-C-1	41201-0	149	Horiz GFCI Kit	Grey	10	18	
GFBKAB-C-1	41202-7	149	Horiz GFCI Kit	Bronze	10	18	
GFBKW-C-1	41203-4	149	Horiz GFCI Kit	White	10	18	
GFBKB-C-1	41204-1	149	Horiz GFCI Kit	Black	10	18	
Display Box Kit							
GFBK	41200-3	130	Horiz GFCI Kit	Grey	10	17	
GFBKAB	41205-8	130	Horiz GFCI Kit	Bronze	10	17	
GFBKW	50220-9	130	Horiz GFCI Kit	White	10	17	
GFBKB	50221-6	130	Horiz GFCI Kit	Black	10	17	



GFBK-C


One Gang Cover for Vertical GFCI Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Show Pak							
FGV-1DCV	25012-4	N/A	Vertical GFCI	Grey	24	12	
FGV-1DCAV	25510-5	N/A	Vertical GFCI	Bronze	24	12	
FGV-1DCWV	25710-9	N/A	Vertical GFCI	White	24	12	
Blister Carded							
511V-1	05115-8	43	Vertical GFCI	Grey	6	3	
511VAB-1	25513-6	43	Vertical GFCI	Bronze	6	3	
511VW-1	50070-0	43	Vertical GFCI	White	6	3	



FGV-1DC



GFCI: Ground Fault Circuit Interrupter or “Shock Protection” outlet stops the flow of electricity at the outlet. Required by the National Electrical Code (NEC) for wet or damp locations, inside or out.

One Gang Vertical Cover for Duplex Receptacles, Switches or Combination Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description	Color	Case Qty.	Case Weight
Show Pak							
FC-61V	22095-0	N/A	Vertical	Grey	24	8	
FC-61AV	52884-1	N/A	Vertical	Bronze	24	8	
FC-61WV	52883-4	N/A	Vertical	White	24	8	



FC-61V