

WEATHERPROOF "WHILE-IN-USE" RECEPTACLE COVERS

BWF PRODUCT BENEFITS & FEATURES

- Choose from high-impact polycarbonate construction or heavy duty die cast covers for more severe applications, such as schools and commercial buildings
- Both meet NEC Article 410-57(b). The code requires receptacles be protected in outdoor or other wet locations with the cord set plugged in, unless the receptacle is attended.
- All covers are shipped with gasket, mounting screws, base and cover assembly, two inserts and complete "easy-to-install" instructions.
- Covers may be mounted to a box or device.
- When security is important, there are covers available with a lockable hasp.
- Flexibility in the field: covers combined with one of the 26 rotating, snap-in, inserts will meet any installation requirement.

COMPLIANCES

- UL Listed - CSA Certified
- NEMA 3R rated



APPLICATIONS

- Where weatherproof protection is required while an outlet is in use, such as; bug zappers, holiday lighting, low voltage lighting, soda machines, portable spas, engine block heater, irrigation pond pumps, etc.



MEETS 2002 NEC 406.8(B) (1) Receptacles installed outdoors in a wet location must have an enclosure that is weatherproof when you insert the attachment plug.



HIGH IMPACT CLEAR POLYCARBONATE "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1100C*	00100-9	1 gang vertical/horizontal	2 1/4"	Clear	5	3
	WT1100WC*	31175-7	1 gang horizontal/vertical	2 1/4"	Clear	5	3
	WT1150C	00101-6	1 gang vertical/horizontal	4 3/4"	Clear	5	4.25
	WT1220C*	00200-6	2 gang	2 1/4"	Clear	5	8
	WT202V*	00201-3	2 gang	3 1/8"	Clear	5	8

*With lockable hasp



HEAVY DUTY DIE CAST METAL "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1010HMC*	34018-4	1 gang horizontal	3 1/8"	Grey	4	5
	WT100VMV*	34017-7	1 gang vertical	3 1/8"	Grey	4	5
	WT1030MC*	34019-1	2 gang	3 1/8"	Grey	2	3.5

*With lockable hasp

ONE GANG WEATHERPROOF RAISED COVERS – DIE CAST METAL



RC-1V

One Gang Rectangular Lampholder Cover – One 1/2" Hole

4 9/16" x 2 13/16" x 1 1/16", gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
RC-1V	28036-7	N/A	1–1/2"	Grey	20	6
RC-1AV	52880-3	N/A	1–1/2"	Bronze	20	6
RC-1WV	52879-7	N/A	1–1/2"	White	20	6
Blister Carded						
811-1	00811-4	51.6	1–1/2"	Grey	12	5
811AB-1	28542-3	51.6	1–1/2"	Bronze	12	5
811W -1	50095-3	51.6	1–1/2"	White	12	5





RC-3V

One Gang Rectangular Lampholder Cover – Three 1/2" Holes

4 9/16" x 2 13/16" x 1 1/16", gasket, screws and closure plugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
RC-3V	28056-5	N/A	3–1/2"	Grey	20	6
RC-3AV	28555-3	N/A	3–1/2"	Bronze	20	6
RC-3WV	28755-7	N/A	3–1/2"	White	20	6
Blister Carded						
813-1	00813-8	51.6	3–1/2"	Grey	12	4
813AB-1	28566-9	51.6	3–1/2"	Bronze	12	4
813W -1	50100-4	51.6	3–1/2"	White	12	4



**FG-1DCV
CLOSED**



OPEN

One Gang Cover for Horizontal GFCI Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
FG-1DCV	25006-3	N/A	Horiz GFCI	Grey	24	12
FG-1DCAV	25505-1	N/A	Horiz GFCI	Bronze	24	12
FG-1DCWV	25705-5	N/A	Horiz GFCI	White	24	2
Blister Carded						
511H-1	05114-1	43	Horiz GFCI	Grey	6	3
511HAB-1	25508-2	43	Horiz GFCI	Bronze	6	3
511HW-1	50065-6	43	Horiz GFCI	White	6	3

WEATHERPROOF "WHILE-IN-USE" RECEPTACLE COVERS

BWF PRODUCT BENEFITS & FEATURES

- Choose from high-impact polycarbonate construction or heavy duty die cast covers for more severe applications, such as schools and commercial buildings
- Both meet NEC Article 410-57(b). The code requires receptacles be protected in outdoor or other wet locations with the cord set plugged in, unless the receptacle is attended.
- All covers are shipped with gasket, mounting screws, base and cover assembly, two inserts and complete "easy-to-install" instructions.
- Covers may be mounted to a box or device.
- When security is important, there are covers available with a lockable hasp.
- Flexibility in the field: covers combined with one of the 26 rotating, snap-in, inserts will meet any installation requirement.

COMPLIANCES

- UL Listed - CSA Certified
- NEMA 3R rated



APPLICATIONS

- Where weatherproof protection is required while an outlet is in use, such as; bug zappers, holiday lighting, low voltage lighting, soda machines, portable spas, engine block heater, irrigation pond pumps, etc.



MEETS 2002 NEC 406.8(B) (1) Receptacles installed outdoors in a wet location must have an enclosure that is weatherproof when you insert the attachment plug.



HIGH IMPACT CLEAR POLYCARBONATE "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1100C*	00100-9	1 gang vertical/horizontal	2 1/4"	Clear	5	3
	WT1100WC*	31175-7	1 gang horizontal/vertical	2 1/4"	Clear	5	3
	WT1150C	00101-6	1 gang vertical/horizontal	4 3/4"	Clear	5	4.25
	WT1220C*	00200-6	2 gang	2 1/4"	Clear	5	8
	WT202V*	00201-3	2 gang	3 1/8"	Clear	5	8

*With lockable hasp



HEAVY DUTY DIE CAST METAL "WHILE-IN-USE" COVERS

gasket, mounting screws, base & cover assembly, 2 inserts included

PACKAGE TYPE	BWF No.	Unit UPC 0-87115	Description	Depth	Color	Case QTY	Case WT
SHOW PAK	WT1010HMC*	34018-4	1 gang horizontal	3 1/8"	Grey	4	5
	WT100VMV*	34017-7	1 gang vertical	3 1/8"	Grey	4	5
	WT1030MC*	34019-1	2 gang	3 1/8"	Grey	2	3.5

*With lockable hasp

ONE GANG WEATHERPROOF RAISED COVERS – DIE CAST METAL



RC-1V

One Gang Rectangular Lampholder Cover – One 1/2" Hole

4 9/16" x 2 13/16" x 1 1/16", gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
RC-1V	28036-7	N/A	1–1/2"	Grey	20	6
RC-1AV	52880-3	N/A	1–1/2"	Bronze	20	6
RC-1WV	52879-7	N/A	1–1/2"	White	20	6
Blister Carded						
811-1	00811-4	51.6	1–1/2"	Grey	12	5
811AB-1	28542-3	51.6	1–1/2"	Bronze	12	5
811W -1	50095-3	51.6	1–1/2"	White	12	5





RC-3V

One Gang Rectangular Lampholder Cover – Three 1/2" Holes

4 9/16" x 2 13/16" x 1 1/16", gasket, screws and closure plugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
RC-3V	28056-5	N/A	3–1/2"	Grey	20	6
RC-3AV	28555-3	N/A	3–1/2"	Bronze	20	6
RC-3WV	28755-7	N/A	3–1/2"	White	20	6
Blister Carded						
813-1	00813-8	51.6	3–1/2"	Grey	12	4
813AB-1	28566-9	51.6	3–1/2"	Bronze	12	4
813W -1	50100-4	51.6	3–1/2"	White	12	4



**FG-1DCV
CLOSED**



OPEN

One Gang Cover for Horizontal GFCI Devices

Self closing cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
FG-1DCV	25006-3	N/A	Horiz GFCI	Grey	24	12
FG-1DCAV	25505-1	N/A	Horiz GFCI	Bronze	24	12
FG-1DCWV	25705-5	N/A	Horiz GFCI	White	24	2
Blister Carded						
511H-1	05114-1	43	Horiz GFCI	Grey	6	3
511HAB-1	25508-2	43	Horiz GFCI	Bronze	6	3
511HW-1	50065-6	43	Horiz GFCI	White	6	3